

024 1101/137

# MB-60B™ Granules

ACTIVE INGREDIENTS:

Sodium Dichloro-s-triazinetriene.....	90%
Sodium Bromide.....	7%
OTHER INGREDIENTS.....	3%
	100%

Provides 57% Available Chlorine  
Provides 128% Available Bromine

This product is a high performance bromine microbiocide which aids in the control of organic slimes of algae, bacteria and fungi when used in accordance with the Directions for Use.

## KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID	
<b>If in eyes</b>	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If swallowed</b>	<ul style="list-style-type: none"> <li>Call poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
<b>If inhaled</b>	<ul style="list-style-type: none"> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>If on skin or clothing</b>	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact CHEMTREC® at 800-424-9300 for 24 hour emergency medical treatment information.	
NOTE TO PHYSICIAN	
Probable mucosal damage may contraindicate the use of gastric lavage.	

See side panel for *Directions for Use*.

Packed for  
**CHECK-MARK™**

A Division of DM Resources, Inc.  
1310 E. Northgate Drive  
Irving, Texas 75062

Not for Resale  
MADE IN THE U.S.A. 0M607 4615CMMA  
TO REORDER: Call TOLL-FREE: 1-800-527-9919  
Fax: 972-438-0634

EPA Reg. No. 935-71-66114  
EPA Est. No. 58401-IL-1

## PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS DANGER

**Corrosive.** Causes irreversible eye damage. Causes skin irritation. Harmful if swallowed or absorbed through skin or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing dust. Wear goggles or face shield. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

**ENVIRONMENTAL HAZARD** - This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**PHYSICAL OR CHEMICAL HAZARD - STRONG OXIDIZING AGENT.** Contact with water slowly liberates irritating and hazardous chlorine and bromine containing gases. Decomposes at temperatures above 464°F with liberation of harmful gases. When ignited, will burn with the evolution of chlorine and equally toxic gases.

**NEVER** add water to product. Always add product to large quantities of water. Use clean, dry utensils. **DO NOT** add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic material, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion. **DO NOT** add this product to a tablet feeder. Use a pot or shock feeder for granules only if high water flow rates can be assured. Mixtures of this product with 10-50% water in a confined space may result in destructive over pressurization.

**IN CASE OF FIRE OR SMOKE:** Call the fire department. Do not attempt to extinguish the fire without a self-contained breathing apparatus (SCBA). Do not let the fire burn. **Flood with copious amounts of water. DO NOT** use ABC or other dry chemical extinguishers since there is the potential for a violent reaction.

**IN CASE OF CONTAMINATION OR DECOMPOSITION:** **DO NOT** reseal container. Follow disposal instructions on label.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Keep material dry and in a dry area. Store in original container where temperatures do not exceed 125°F (52°C) for 24 hours. Keep container tightly closed.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. The preferred disposal methods are incineration or chemical treatment in accordance with Federal, State and Local regulations.

Do not put product, spilled product, or fill empty containers into the trash or waste compactor. Contact with incompatible materials could cause a reaction and fire. **DO NOT** transport wet or damp material.

**CONTAINER DISPOSAL:** PLASTIC Containers may be recycled where available. If not, clean and dry completely (rinse or equivalent). Then offer for recycling or other secondary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay away from windward side.

HMIS Rating System: 3 Flammability 0 Reactivity 2

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### FOR CONTROL OF BACTERIA, FUNGI AND ALGAE IN RECIRCULATING WATER SYSTEMS

#### FOR RECIRCULATING WATER SYSTEMS

This product is intended for use in the following aquatic sites: Air Washer Water Systems, Commercial/Industrial Water Cooling Systems, Evaporative Condenser Water Systems, Heat Exchange Water Systems, Industrial Scrubbing Systems, Industrial Auxiliary Water Systems, Industrial Process Water, Industrial Waste Disposal Systems, Pasteurizer/ Warmer/Cannery Cooling Water Systems.

This product may be added to the system by direct placement into the water at a point where the product will be uniformly mixed with water. The frequency of feeding and duration of the treatment will depend on the severity of the contamination. Badly fouled systems must be cleaned before treatment begins.

#### Intermittent or slug method

**INITIAL DOSE:** When the system is noticeably fouled, add this product at the rate of 0.15 to 0.75 pounds per 1000 gallons (18 to 90 grams per 1000 liters) in the system to achieve 0.5-10 mg/L total available halogen as chlorine, as measured by a suitable test kit. Repeat dosage until residual is achieved.

**SUBSEQUENT DOSE:** When microbial control is evident, add this product at the rate of 0.03 to 0.15 pounds per 1000 gallons (3.6 to 18 grams per 1000 liters) in the system to achieve 0.5-1 mg/L total available halogen as chlorine, as measured by a suitable test kit. Repeat periodically as needed to maintain control.

#### Continuous feed method

**INITIAL DOSE:** When the system is noticeably fouled, add this product at the rate of 0.15 to 0.75 pounds per 1000 gallons (18 to 90 grams per 1000 liters) in the system to achieve 0.5-10 mg/L total available halogen as chlorine, as measured by a suitable test kit. Repeat dosage until residual is achieved.

**SUBSEQUENT DOSE:** When microbial control is evident, add this product at the rate of 0.03 to 0.15 pounds per day per 1000 gallons (3.6 to 18 grams per day per 1000 liters) in the system to maintain 0.5-1 mg/L total available halogen as chlorine, as measured by a suitable test kit.

Net Wt. 50 lbs. / 22.7 kg.

Lot No.:

WVA JAN 23 2007 935-71-66114

76141

CA - 5/8/02

Revision Date - 8/06

OCC No. A118