

10% SEVIN GRANULES

ACTIVE INGREDIENT:		
Carbaryl (1-naphthyl methylcarbamate)		%
NERT INGREDIENTS:		1%
	TOTAL 100	%

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

Carbaryl is an N-Methyl Carbamate insecticide and is a cholinesterase inhibitor.

If swallowed: • Call a poison control center or doctor immediately for treatment advice.

- Have a person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Carbaryl is an N-methyl carbamate insecticide that inhibits cholinesterase. Drugs like 2-Pam (pyridine-2-aldoxime methiodide) are not recommended. To aid in the confirmation of diagnosis, urine samples should be obtained within 24 hours of exposure and immediately frozen. Consultation on therapy can be obtained at all hours by calling the appropriate emergency number 1-866-944-8565 (U.S.A.).

EPA REG. NO. 34704-289

EPA EST. NO. 34704-MS-001

NET CONTENTS 50 LBS. (22.67 KG)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Wear long-sleeved shirt, long pants, chemical-resistant gloves, and socks and shoes when handling this product.

Personal Protective Equipment (PPE):

Some materials that are chemical-resistant to this product are any waterproof material. If you want more options, follow the instructions for category "A" on an EPA Chemical-resistance category chart.

Loaders, applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves, and
- Shoes plus socks.

Aerial application is prohibited.

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering controls:

When applicators use enclosed cabs in a manner that meets with requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(5)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands thoroughly with soap and water before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from area treated. Drift and run-off may kill aquatic inveterberates in water adjacent to treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Applications shall be made by ground broadcast equipment only. Hand, spoon and belly-grinder applications are prohibited. Do not allow people or pets to enter the treated area until dusts have settled. Do not allow people (except those involved in the watering-in) to enter the treated area until the watering-in is completed and the area is dry.

For outdoor use only.

Product must be watered in immediately after application to lawns.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours unless otherwise specified in the directions for use associated with each crop. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls, over short-sleeved shirt and short-pants,
- Chemical-resistant footwear plus socks,
- Chemical-resistant gloves made of any waterproof material, and
- Chemical-resistant headgear if overhead exposure.

When the Restricted-Entry Interval for a crop is 7 days or longer, you must notify workers of the application by warning them orally and by posting warning signs at entrances to treated areas.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. Do not enter or allow others to enter the treated area (except those involved in the watering-in) until the watering-in is completed and the area has dried.

CROPS

To kill Foraging ants (except harvester ants, pharoah ants and carpenter ants), Centipedes, Crickets, Cutworms, Earwigs, Grasshoppers, Millipedes, Sowbugs and Springtails, apply product evenly over the soil surface.

App Rate	Minimum	Max # of	Maximum	Pre-Harvest or	Use Directions & Restrictions
Lbs	Retreatment	Applications	Annual App	Pre-Grazing	
product/A,	Interval,	per year	lb Product/	Interval	
lb ai/A	Days		lb ai/A	(Days)	
SPARAGUS					
10 / 1.0	3	3	30 / 3.0	1	No more than a total of 5
reharvest		Pre Harvest			applications (both pre- and
20 / 2.0	3	5	50 / 5.0	N/A	post-harvest) may be made per
Post Harvest		Pre & Post	(total pre &		year for a total annual maximum
00111011001		harvest	post		application rate of 5 lbs ai/A.
		combined	applications)		application rate of 6 lbs ai//1.
II MEMBEI	RS OF HEAD A			GETABLES Sub	o-Group 5 A including: Broccoli;
					e, Chinese mustard; cauliflower;
avalo brocco		Touts, cabbage,	cabbage, Crimes	e (napa), cabbay	e, Crimese musiaru, Caumower,
20 / 2.0	10, KOHHADI.	4	60 / 6.0	3	Lies restricted to application only
20 / 2.0	/	4	60 / 6.0	3	Use restricted to application only
					within 30 days of crop emergend
		20101010			or transplanting.
					Broccoli raab; cabbage, Chinese
	<u>Ilards; kale; mizı</u>	una; mustard gre		inach; rape green	S.
20 / 2.0	7	4	60 / 6.0	14	Use restricted to application only
					within 30 days of crop emergend
					or transplanting.
					p 8 including: Eggplant; ground-
ierry renysa	iis spp); pepino;	pepper (include	es bell pepper, ch	III pepper, cooking	g pepper, pimento, sweet pepper);
				1 11 /	
omatillo; toma	ato.				
omatillo; toma 20 / 2.0	7	4	80 / 8.0	3	
omatillo; toma 20 / 2.0 LL MEMBEI	7 R OF ROOT AN	4 D TUBOR VEG	ETABLES, Crop	3 Group 1 (except	sugar beets and sweet potatoe
omatillo; toma 20 / 2.0 LL MEMBEI ncluding: Ari	7 R OF ROOT AN racacha; arrowro	ot; artichoke, C	ETABLES, Crop hinese; artichoke	3 Group 1 (except , Jerusalem; beet	, garden; beet, sugar; burdock, ed
omatillo; toma 20 / 2.0 LL MEMBEI ncluding: Ari le; canna, ed	7 R OF ROOT AN racacha; arrowro lible; carrot; cass	oot; artichoke, C sava, bitter and	ETABLES, Crop hinese; artichoke sweet; celeriac; c	3 Group 1 (except , Jerusalem; beet hayote (root); che	, garden; beet, sugar; burdock, ed rvil, turnip-rooted; chicory; chufa;
omatillo; toma 20 / 2.0 LL MEMBEI ncluding: Ari le; canna, ed asheen (taro	7 R OF ROOT AN racacha; arrowro lible; carrot; cass); ginger; ginsen	oot; artichoke, C sava, bitter and a g; horseradish;	ETABLES, Crop hinese; artichoke sweet; celeriac; c leren; parsley, tur	3 Group 1 (except , Jerusalem; beet hayote (root); che nip-rooted; parsni	, garden; beet, sugar; burdock, ed rvil, turnip-rooted; chicory; chufa; p; potato; radish; radish, oriental;
omatillo; toma 20 / 2.0 LL MEMBEI ocluding: Ard e; canna, ed asheen (taro	7 R OF ROOT AN racacha; arrowro lible; carrot; cass); ginger; ginsen	oot; artichoke, C sava, bitter and a g; horseradish;	ETABLES, Crop hinese; artichoke sweet; celeriac; c leren; parsley, tur	3 Group 1 (except , Jerusalem; beet hayote (root); che nip-rooted; parsni	, garden; beet, sugar; burdock, ed rvil, turnip-rooted; chicory; chufa; p; potato; radish; radish, oriental;
omatillo; toma 20 / 2.0 LL MEMBEI Icluding: Ari e; canna, ed asheen (taro Itabaga; sals 20 / 2.0	7 R OF ROOT AN racacha; arrowrc lible; carrot; cass); ginger; ginsen ify; salsify, black 7	oot; artichoke, C sava, bitter and s g; horseradish; ;; salsify, Spanis 3	hinese; artichoke sweet; celeriac; c leren; parsley, tur h; skirret; sweet p 60 / 6.0	3 Group 1 (except , Jerusalem; beet hayote (root); che nip-rooted; parsni potato; tanier; turm	, garden; beet, sugar; burdock, ed rvil, turnip-rooted; chicory; chufa; p; potato; radish; radish, oriental; neric; turnip; yam bean; yam, true.
omatillo; toma 20 / 2.0 LL MEMBEI Icluding: Ari e; canna, ed asheen (taro Itabaga; sals 20 / 2.0	7 R OF ROOT AN racacha; arrowrc lible; carrot; cass); ginger; ginsen ify; salsify, black 7	oot; artichoke, C sava, bitter and s g; horseradish; ;; salsify, Spanis 3	hinese; artichoke sweet; celeriac; c leren; parsley, tur h; skirret; sweet p 60 / 6.0	3 Group 1 (except , Jerusalem; beet hayote (root); che nip-rooted; parsni potato; tanier; turm	, garden; beet, sugar; burdock, ed rvil, turnip-rooted; chicory; chufa; p; potato; radish; radish, oriental; neric; turnip; yam bean; yam, true.
omatillo; toma 20 / 2.0 .LL MEMBEI ncluding: Arri le; canna, ed asheen (taro utabaga; sals 20 / 2.0 EAVES OF I	7 R OF ROOT AN racacha; arrowrc lible; carrot; cass); ginger; ginsen ify; salsify, black 7	oot; artichoke, C sava, bitter and s g; horseradish; ;; salsify, Spanis 3	ETABLES, Crop hinese; artichoke sweet; celeriac; c leren; parsley, tur h; skirret; sweet p 60 / 6.0 ES, specifically:	3 Group 1 (except , Jerusalem; beet hayote (root); che nip-rooted; parsni	, garden; beet, sugar; burdock, ed rvil, turnip-rooted; chicory; chufa; p; potato; radish; radish, oriental; neric; turnip; yam bean; yam, true.
omatillo; toma 20 / 2.0 LL MEMBEI ncluding: Arri le; canna, ed asheen (taro utabaga; sals 20 / 2.0 EAVES OF I	7 R OF ROOT AN racacha; arrowro lible; carrot; cass); ginger; ginsen ify; salsify, black 7 ROOT AND TUE	oot; artichoke, C sava, bitter and s g; horseradish; ;; salsify, Spanis 3 BER VEGETABL	hinese; artichoke sweet; celeriac; c leren; parsley, tur h; skirret; sweet p 60 / 6.0	3 Group 1 (except , Jerusalem; beet hayote (root); che nip-rooted; parsni ootato; tanier; turn 7 Beet, garden (top	, garden; beet, sugar; burdock, ed rvil, turnip-rooted; chicory; chufa; p; potato; radish; radish, oriental; neric; turnip; yam bean; yam, true.
omatillo; toma 20 / 2.0 LL MEMBEI ncluding: Arri le; canna, ed asheen (taro utabaga; sals 20 / 2.0 EAVES OF I 20 / 2.0	7 R OF ROOT AN racacha; arrowro lible; carrot; cass); ginger; ginsen ify; salsify, black 7 ROOT AND TUB 7 RIES	oot; artichoke, C sava, bitter and g; horseradish; ; salsify, Spanis 3 BER VEGETABL 3	hinese; artichoke sweet; celeriac; c leren; parsley, tur h; skirret; sweet p 60 / 6.0 ES, specifically: 60 / 6.0	3 Group 1 (except , Jerusalem; beet hayote (root); che nip-rooted; parsni potato; tanier; turn 7 Beet, garden (top	, garden; beet, sugar; burdock, ed rvil, turnip-rooted; chicory; chufa; p; potato; radish; radish, oriental; neric; turnip; yam bean; yam, true.
omatillo; toma 20 / 2.0 LL MEMBEI ncluding: Arri le; canna, ed asheen (taro utabaga; sals 20 / 2.0 EAVES OF I 20 / 2.0 TRAWBERF 20 / 2.0	7 R OF ROOT AN racacha; arrowro lible; carrot; cass); ginger; ginsen ify; salsify, black 7 ROOT AND TUB 7 RIES	oot; artichoke, C sava, bitter and s g; horseradish; ;; salsify, Spanis 3 BER VEGETABL	ETABLES, Crop hinese; artichoke sweet; celeriac; c leren; parsley, tur h; skirret; sweet p 60 / 6.0 ES, specifically:	3 Group 1 (except , Jerusalem; beet hayote (root); che nip-rooted; parsni ootato; tanier; turn 7 Beet, garden (top	, garden; beet, sugar; burdock, ed rvil, turnip-rooted; chicory; chufa; p; potato; radish; radish, oriental; neric; turnip; yam bean; yam, true.
omatillo; toma 20 / 2.0 LL MEMBEI ncluding: Ari le; canna, ed asheen (taro utabaga; sals 20 / 2.0 EAVES OF I 20 / 2.0 TRAWBERF 20 / 2.0	7 R OF ROOT AN racacha; arrowro lible; carrot; cass); ginger; ginsen ify; salsify, black 7 ROOT AND TUE 7 RIES 7	pot; artichoke, C sava, bitter and g; horseradish; ;; salsify, Spanis 3 BER VEGETABL 3	ETABLES, Crop hinese; artichoke sweet; celeriac; c leren; parsley, tur h; skirret; sweet p 60 / 6.0 LES, specifically: 60 / 6.0	3 Group 1 (except , Jerusalem; beet hayote (root); che nip-rooted; parsni potato; tanier; turn 7 Beet, garden (top 14	garden; beet, sugar; burdock, edrvil, turnip-rooted; chicory; chufa; p; potato; radish; radish, oriental; neric; turnip; yam bean; yam, true.
omatillo; toma 20 / 2.0 LL MEMBEI ncluding: Arri le; canna, ed asheen (taro utabaga; sals 20 / 2.0 EAVES OF I 20 / 2.0 TRAWBERF 20 / 2.0	7 R OF ROOT AN racacha; arrowro lible; carrot; cass); ginger; ginsen ify; salsify, black 7 ROOT AND TUB 7 RIES	oot; artichoke, C sava, bitter and g; horseradish; ; salsify, Spanis 3 BER VEGETABL 3	hinese; artichoke sweet; celeriac; c leren; parsley, tur h; skirret; sweet p 60 / 6.0 ES, specifically: 60 / 6.0	3 Group 1 (except, Jerusalem; beet hayote (root); che nip-rooted; parsni potato; tanier; turm 7 Beet, garden (top 14 7 2 (ears)	garden; beet, sugar; burdock, edrvil, turnip-rooted; chicory; chufa; p; potato; radish; radish, oriental; neric; turnip; yam bean; yam, true.
matillo; toma 20 / 2.0 LL MEMBEI Icluding: Arro e; canna, ed asheen (taro Itabaga; sals 20 / 2.0 EAVES OF I 20 / 2.0 TRAWBERF 20 / 2.0 WEET COR	7 R OF ROOT AN racacha; arrowro lible; carrot; cass); ginger; ginsen ify; salsify, black 7 ROOT AND TUE 7 RIES 7	pot; artichoke, C sava, bitter and g; horseradish; ;; salsify, Spanis 3 BER VEGETABL 3	ETABLES, Crop hinese; artichoke sweet; celeriac; c leren; parsley, tur h; skirret; sweet p 60 / 6.0 LES, specifically: 60 / 6.0	3 Group 1 (except, Jerusalem; beet hayote (root); che nip-rooted; parsni potato; tanier; turm 7 Beet, garden (top 14 7 2 (ears) 14 (forage)	garden; beet, sugar; burdock, edrvil, turnip-rooted; chicory; chufa; p; potato; radish; radish, oriental; neric; turnip; yam bean; yam, true. ps); Turnip (tops). Hand harvesting prohibited. REI is 21 days for workers
matillo; toma 20 / 2.0 LL MEMBEI cluding: Arr e; canna, ed asheen (taro itabaga; sals 20 / 2.0 EAVES OF I 20 / 2.0 TRAWBERF 20 / 2.0 WEET COR	7 R OF ROOT AN racacha; arrowro iible; carrot; cass); ginger; ginsen ify; salsify, black 7 ROOT AND TUE 7 RIES 7 N	pot; artichoke, C sava, bitter and g; horseradish; ;; salsify, Spanis 3 BER VEGETABL 3	ETABLES, Crop hinese; artichoke sweet; celeriac; c leren; parsley, tur h; skirret; sweet p 60 / 6.0 LES, specifically: 60 / 6.0	3 Group 1 (except, Jerusalem; beet hayote (root); che nip-rooted; parsni potato; tanier; turm 7 Beet, garden (top 14 7 2 (ears)	garden; beet, sugar; burdock, edrvil, turnip-rooted; chicory; chufa; p; potato; radish; radish, oriental; neric; turnip; yam bean; yam, true.
matillo; toma 20 / 2.0 LL MEMBEI Icluding: Arr e; canna, ed asheen (taro Itabaga; sals 20 / 2.0 EAVES OF I 20 / 2.0 TRAWBERF 20 / 2.0 WEET COR	7 R OF ROOT AN racacha; arrowro iible; carrot; cass); ginger; ginsen ify; salsify, black 7 ROOT AND TUE 7 RIES 7 N	pot; artichoke, C sava, bitter and s g; horseradish; ;; salsify, Spanis 3 BER VEGETABL 3	ETABLES, Crop hinese; artichoke sweet; celeriac; c leren; parsley, tur h; skirret; sweet p 60 / 6.0 ES, specifically: 60 / 6.0 80/8	3 Group 1 (except , Jerusalem; beet hayote (root); che nip-rooted; parsni potato; tanier; turm 7 Beet, garden (top 14 7 2 (ears) 14 (forage) 48 (fodder)	garden; beet, sugar; burdock, edrvil, turnip-rooted; chicory; chufa; p; potato; radish; radish, oriental; neric; turnip; yam bean; yam, true. ps); Turnip (tops). Hand harvesting prohibited. REI is 21 days for workers
omatillo; toma 20 / 2.0 LL MEMBEI Including: Arrie; canna, ed asheen (taro utabaga; sals 20 / 2.0 EAVES OF I 20 / 2.0 TRAWBERF 20 / 2.0 WEET COR 20 / 2.0	7 R OF ROOT AN racacha; arrowro iible; carrot; cass); ginger; ginsen ify; salsify, black 7 ROOT AND TUB 7 RIES 7 N 7	pot; artichoke, C sava, bitter and s g; horseradish; ;; salsify, Spanis 3 BER VEGETABL 3 4	ETABLES, Crop hinese; artichoke sweet; celeriac; c leren; parsley, tur h; skirret; sweet p 60 / 6.0 ES, specifically: 60 / 6.0 80/8	3 Group 1 (except, Jerusalem; beet hayote (root); che nip-rooted; parsni ootato; tanier; turm 7 Beet, garden (top 14 7 2 (ears) 14 (forage) 48 (fodder)	garden; beet, sugar; burdock, edrvil, turnip-rooted; chicory; chufa; p; potato; radish; radish, oriental; neric; turnip; yam bean; yam, true. ps); Turnip (tops). Hand harvesting prohibited. REI is 21 days for workers
omatillo; toma 20 / 2.0 LL MEMBEI ncluding: Arri le; canna, ed asheen (taro utabaga; sals 20 / 2.0 EAVES OF I 20 / 2.0 TRAWBERF 20 / 2.0 WEET COR 20 / 2.0 WEET POTA 20 / 2.0 URFGRASS	7 R OF ROOT AN racacha; arrowro iible; carrot; cass); ginger; ginsen ify; salsify, black 7 ROOT AND TUE 7 RIES 7 N 7	pot; artichoke, C sava, bitter and s g; horseradish; ;; salsify, Spanis 3 BER VEGETABL 3 4	ETABLES, Crop hinese; artichoke sweet; celeriac; c leren; parsley, tur h; skirret; sweet p 60 / 6.0 ES, specifically: 60 / 6.0 80/8 80 / 8.0	3 Group 1 (except , Jerusalem; beet hayote (root); che nip-rooted; parsni potato; tanier; turm 7 Beet, garden (tor 14 7 2 (ears) 14 (forage) 48 (fodder) 7 ARMS	garden; beet, sugar; burdock, edrvil, turnip-rooted; chicory; chufa; p; potato; radish; radish, oriental; neric; turnip; yam bean; yam, true. ps); Turnip (tops). Hand harvesting prohibited. REI is 21 days for workers detasselling corn.
omatillo; toma 20 / 2.0 .LL MEMBEI ncluding: Arri le; canna, ed asheen (taro utabaga; sals 20 / 2.0 EAVES OF I 20 / 2.0 TRAWBERF 20 / 2.0 WEET COR 20 / 2.0 WEET POTA 20 / 2.0 URFGRASS or kill of arm	7 R OF ROOT AN racacha; arrowro lible; carrot; cass); ginger; ginsen ify; salsify, black 7 ROOT AND TUE 7 RIES 7 N 7 ATO 7 - COMMERCIA yworms, crickets	pot; artichoke, C sava, bitter and s g; horseradish; ;; salsify, Spanis 3 BER VEGETABL 3 4 4	hinese; artichoke sweet; celeriac; cleren; parsley, tur h; skirret; sweet p 60 / 6.0 ES, specifically: 60 / 6.0 80/8 80 / 8.0 60 / 6.0 UTIONAL SODFrkling ground bee	3 Group 1 (except , Jerusalem; beet hayote (root); che nip-rooted; parsni potato; tanier; turm 7 Beet, garden (top 14 7 2 (ears) 14 (forage) 48 (fodder) 7 ARMS tle, grasshoppers	garden; beet, sugar; burdock, ecrvil, turnip-rooted; chicory; chufa; p; potato; radish; radish, oriental; neric; turnip; yam bean; yam, true. ps); Turnip (tops). Hand harvesting prohibited. REI is 21 days for workers detasselling corn. mole crickets and sow bugs. App
omatillo; toma 20 / 2.0 LL MEMBEI ncluding: Arr le; canna, ed asheen (taro utabaga; sals 20 / 2.0 EAVES OF I 20 / 2.0 TRAWBERF 20 / 2.0 WEET COR 20 / 2.0 URFGRASS for kill of arm	7 R OF ROOT AN racacha; arrowro lible; carrot; cass); ginger; ginsen ify; salsify, black 7 ROOT AND TUE 7 RIES 7 N 7 ATO 7 - COMMERCIA yworms, crickets	pot; artichoke, C sava, bitter and s g; horseradish; ;; salsify, Spanis 3 BER VEGETABL 3 4 4	hinese; artichoke sweet; celeriac; cleren; parsley, tur h; skirret; sweet p 60 / 6.0 ES, specifically: 60 / 6.0 80/8 80 / 8.0 60 / 6.0 UTIONAL SODFrkling ground bee	3 Group 1 (except , Jerusalem; beet hayote (root); che nip-rooted; parsni potato; tanier; turm 7 Beet, garden (top 14 7 2 (ears) 14 (forage) 48 (fodder) 7 ARMS tle, grasshoppers	garden; beet, sugar; burdock, edrvil, turnip-rooted; chicory; chufa; p; potato; radish; radish, oriental; neric; turnip; yam bean; yam, true. ps); Turnip (tops). Hand harvesting prohibited. REI is 21 days for workers detasselling corn.
omatillo; toma 20 / 2.0 LL MEMBEI ocluding: Arrile; canna, ed asheen (taroutabaga; sals 20 / 2.0 EAVES OF I 20 / 2.0 TRAWBERF 20 / 2.0 WEET COR 20 / 2.0 URFGRASS or kill of armiranules uniformatic suniformatic suniformati	7 R OF ROOT AN racacha; arrowro lible; carrot; cass); ginger; ginsen ify; salsify, black 7 ROOT AND TUE 7 RIES 7 N 7 ATO 7	oot; artichoke, C sava, bitter and s g; horseradish; ;; salsify, Spanis 3 BER VEGETABL 3 4 4 4 3 AL AND INSTIT s, cutworms, dan grass. For best k	hinese; artichoke sweet; celeriac; cleren; parsley, tur h; skirret; sweet p 60 / 6.0 ES, specifically: 60 / 6.0 80/8 80 / 8.0 GUTIONAL SODF rkling ground beekill, follow specific	3 Group 1 (except , Jerusalem; beet hayote (root); che nip-rooted; parsni potato; tanier; turm 7 Beet, garden (top 14 7 2 (ears) 14 (forage) 48 (fodder) 7 ARMS tle, grasshoppers directions for pro	garden; beet, sugar; burdock, edrvil, turnip-rooted; chicory; chufa; p; potato; radish; radish, oriental; neric; turnip; yam bean; yam, true. ps); Turnip (tops). Hand harvesting prohibited. REI is 21 days for workers detasselling corn. mole crickets and sow bugs. Apper watering or irrigation after apper
omatillo; toma 20 / 2.0 LL MEMBEI ocluding: Arrile; canna, ed asheen (taroutabaga; sals 20 / 2.0 EAVES OF I 20 / 2.0 TRAWBERF 20 / 2.0 WEET POTA 20 / 2.0 URFGRASS or kill of arminales unifo ation to remo	7 R OF ROOT AN racacha; arrowro lible; carrot; cass); ginger; ginsen ify; salsify, black 7 ROOT AND TUE 7 RIES 7 N 7	oot; artichoke, C sava, bitter and s g; horseradish; ;; salsify, Spanis 3 BER VEGETABL 3 4 4 4 AND INSTIT s, cutworms, dan grass. For best k gredient from the	hinese; artichoke sweet; celeriac; cleren; parsley, tur h; skirret; sweet p 60 / 6.0 ES, specifically: 60 / 6.0 80/8 80 / 8.0 60 / 6.0 TUTIONAL SODF rkling ground beekill, follow specifice granules and in	3 Group 1 (except , Jerusalem; beet hayote (root); che nip-rooted; parsni ootato; tanier; turm 7 Beet, garden (top 14 7 2 (ears) 14 (forage) 48 (fodder) 7 ARMS tle, grasshoppers directions for pro	garden; beet, sugar; burdock, edrvil, turnip-rooted; chicory; chufa; p; potato; radish; radish, oriental; neric; turnip; yam bean; yam, true. ps); Turnip (tops). Hand harvesting prohibited. REI is 21 days for workers detasselling corn. mole crickets and sow bugs. Apper watering or irrigation after apper h pests. Do not allow public use of the posts.
matillo; toma 20 / 2.0 ALL MEMBEI ncluding: Arrile; canna, ed lasheen (taroutabaga; sals 20 / 2.0 EAVES OF I 20 / 2.0 SWEET POTA 20 / 2.0 CURFGRASS for kill of armiranules uniforation to remore deted area decreased area decreas	7 R OF ROOT AN racacha; arrowro lible; carrot; cass); ginger; ginsen ify; salsify, black 7 ROOT AND TUE 7 RIES 7 N 7 COMMERCIA yworms, crickets ormly to the turf gove the active including application	oot; artichoke, Coava, bitter and sig; horseradish; salsify, Spanis 3 BER VEGETABL 3 4 4 4 4 AL AND INSTITE, cutworms, dangerass. For best legredient from the property sould be sould farmed to the sould be sould be supported by the sould be suppo	hinese; artichoke sweet; celeriac; cleren; parsley, tur h; skirret; sweet p 60 / 6.0 ES, specifically: 60 / 6.0 80/8 80 / 8.0 60 / 6.0 **CUTIONAL SODF rkling ground beekill, follow specifice granules and in s, the REI for har	3 Group 1 (except , Jerusalem; beet hayote (root); che nip-rooted; parsni ootato; tanier; turm 7 Beet, garden (top 14 7 2 (ears) 14 (forage) 48 (fodder) 7 ARMS tle, grasshoppers directions for pro nprove contact wit vesting is 24 hour	garden; beet, sugar; burdock, edrvil, turnip-rooted; chicory; chufa; p; potato; radish; radish, oriental; neric; turnip; yam bean; yam, true. ps); Turnip (tops). Hand harvesting prohibited. REI is 21 days for workers
comatillo; toma 20 / 2.0 ALL MEMBEI ncluding: Arrale; canna, ed lasheen (taro utabaga; sals 20 / 2.0 EAVES OF I 20 / 2.0 STRAWBERF 20 / 2.0 SWEET POTA 20 / 2.0 CURFGRASS for kill of armales uniforation to remove attention to remove the steed area of four per year	7 R OF ROOT AN racacha; arrowro lible; carrot; cass); ginger; ginsen ify; salsify, black 7 ROOT AND TUE 7 RIES 7 N 7 COMMERCIA yworms, crickets ormly to the turf gove the active including application	oot; artichoke, Coava, bitter and sig; horseradish; salsify, Spanis 3 BER VEGETABL 3 4 4 4 4 AL AND INSTITE, cutworms, dangerass. For best legredient from the property sould be sould farmed to the sould be sould be supported by the sould be suppo	hinese; artichoke sweet; celeriac; celeriac; celeriac; celeriac; celeriac; celeren; parsley, turch; skirret; sweet per 60 / 6.0 ES, specifically: 60 / 6.0 80/8 80 / 8.0 GUTIONAL SODF reling ground beed cill, follow specifice granules and in second the second celeral is seven daterval is seven daterval.	3 Group 1 (except, Jerusalem; beet hayote (root); che nip-rooted; parsni octato; tanier; turn 7 Beet, garden (tog 14 7 2 (ears) 14 (forage) 48 (fodder) 7 ARMS tle, grasshoppers directions for proprove contact wit vesting is 24 hourays.	garden; beet, sugar; burdock, edrvil, turnip-rooted; chicory; chufa; p; potato; radish; radish, oriental; peric; turnip; yam bean; yam, true. ps); Turnip (tops). Hand harvesting prohibited. REI is 21 days for workers detasselling corn. mole crickets and sow bugs. Apper watering or irrigation after apper watering or irrigation after appers. Repeat applications up to a toter.
omatillo; toma 20 / 2.0 LL MEMBEI 1 cluding: Arrile; canna, ed asheen (taroutabaga; sals 20 / 2.0 EAVES OF I 20 / 2.0 TRAWBERF 20 / 2.0 WEET POTA 20 / 2.0 URFGRASS for kill of arminalles uniforation to remove eated area dispects of the second secon	7 R OF ROOT AN racacha; arrowro lible; carrot; cass); ginger; ginsen ify; salsify, black 7 ROOT AND TUE 7 RIES 7 N 7 COMMERCIA yworms, crickets ormly to the turf gove the active including application	oot; artichoke, Coava, bitter and sig; horseradish; salsify, Spanis 3 BER VEGETABL 3 4 4 4 4 AL AND INSTITE, cutworms, dangerass. For best legredient from the property sould be sould farmed to the sould be sould be supported by the sould be suppo	hinese; artichoke sweet; celeriac; cleren; parsley, tur h; skirret; sweet p 60 / 6.0 ES, specifically: 60 / 6.0 80/8 80 / 8.0 60 / 6.0 **CUTIONAL SODF rkling ground beekill, follow specifice granules and in s, the REI for har	3 Group 1 (except , Jerusalem; beet hayote (root); che nip-rooted; parsni ootato; tanier; turm 7 Beet, garden (top 14 7 2 (ears) 14 (forage) 48 (fodder) 7 ARMS tle, grasshoppers directions for pro nprove contact wit vesting is 24 hour	garden; beet, sugar; burdock, edrvil, turnip-rooted; chicory; chufa; p; potato; radish; radish, oriental; neric; turnip; yam bean; yam, true. ps); Turnip (tops). Hand harvesting prohibited. REI is 21 days for workers detasselling corn. mole crickets and sow bugs. Apper watering or irrigation after apper watering or irrigation after apper pers. Do not allow public use of s. Repeat applications up to a tot
omatillo; toma 20 / 2.0 LL MEMBEI 1 le; canna, ed asheen (taroutabaga; sals 20 / 2.0 EAVES OF I 20 / 2.0 TRAWBERF 20 / 2.0 WEET POTA 20 / 2.0 URFGRASS or kill of arm ranules unifo ation to remove eated area of four per years.	7 R OF ROOT AN racacha; arrowro lible; carrot; cass); ginger; ginsen ify; salsify, black 7 ROOT AND TUE 7 RIES 7 N 7 COMMERCIA yworms, crickets ormly to the turf gove the active including application	oot; artichoke, C sava, bitter and s g; horseradish; g; salsify, Spanis 3 BER VEGETABL 3 4 4 4 4 grass. For best k gredient from the	hinese; artichoke sweet; celeriac; celeriac; celeriac; celeriac; celeriac; celeren; parsley, turch; skirret; sweet per 60 / 6.0 ES, specifically: 60 / 6.0 80/8 80 / 8.0 GUTIONAL SODF reling ground beed cill, follow specifice granules and in second the second celeral is seven daterval is seven daterval.	3 Group 1 (except, Jerusalem; beet hayote (root); che nip-rooted; parsni octato; tanier; turn 7 Beet, garden (tog 14 7 2 (ears) 14 (forage) 48 (fodder) 7 ARMS tle, grasshoppers directions for proprove contact wit vesting is 24 hourays.	garden; beet, sugar; burdock, ecrvil, turnip-rooted; chicory; chufa; p; potato; radish; radish, oriental; neric; turnip; yam bean; yam, true. ps); Turnip (tops). Hand harvesting prohibited. REI is 21 days for workers detasselling corn. mole crickets and sow bugs. Apper watering or irrigation after apper watering or irrigation after apper pers. Do not allow public use of s. Repeat applications up to a tot. Do not allow public use of treater area during application. For soci
omatillo; toma 20 / 2.0 LL MEMBEI 1 le; canna, ed asheen (taroutabaga; sals 20 / 2.0 EAVES OF I 20 / 2.0 TRAWBERF 20 / 2.0 WEET POTA 20 / 2.0 URFGRASS or kill of arm ranules unifo ation to remove eated area of four per years.	7 R OF ROOT AN racacha; arrowro lible; carrot; cass); ginger; ginsen ify; salsify, black 7 ROOT AND TUE 7 RIES 7 N 7 COMMERCIA yworms, crickets ormly to the turf gove the active including application	oot; artichoke, C sava, bitter and s g; horseradish; g; salsify, Spanis 3 BER VEGETABL 3 4 4 4 4 grass. For best k gredient from the	hinese; artichoke sweet; celeriac; celeriac; celeriac; celeriac; celeriac; celeren; parsley, turch; skirret; sweet per 60 / 6.0 ES, specifically: 60 / 6.0 80/8 80 / 8.0 GUTIONAL SODF reling ground beed cill, follow specifice granules and in second the second celeral is seven daterval is seven daterval.	3 Group 1 (except, Jerusalem; beet hayote (root); che nip-rooted; parsni octato; tanier; turn 7 Beet, garden (tog 14 7 2 (ears) 14 (forage) 48 (fodder) 7 ARMS tle, grasshoppers directions for proprove contact wit vesting is 24 hourays.	garden; beet, sugar; burdock, edrvil, turnip-rooted; chicory; chufa; p; potato; radish; radish, oriental; neric; turnip; yam bean; yam, true. ps); Turnip (tops). Hand harvesting prohibited. REI is 21 days for workers detasselling corn. mole crickets and sow bugs. Apper watering or irrigation after apper watering or irrigation after apper some personal points. Beginning application. For social points, the REI for harvesting is farms, the REI for harvesting is
omatillo; toma 20 / 2.0 LL MEMBEI 10 20 / 2.0 LL MEMBEI 11 20 / 2.0 EAVES OF I 20 / 2.0 ETRAWBERF 20 / 2.0 EWEET POTA 20 / 2.0 URFGRASS or kill of arm ranules unifo ation to remove ated area of four per year	7 R OF ROOT AN racacha; arrowro lible; carrot; cass); ginger; ginsen ify; salsify, black 7 ROOT AND TUE 7 RIES 7 N 7 COMMERCIA yworms, crickets ormly to the turf gove the active including application	oot; artichoke, C sava, bitter and s g; horseradish; g; salsify, Spanis 3 BER VEGETABL 3 4 4 4 4 grass. For best k gredient from the	hinese; artichoke sweet; celeriac; celeriac; celeriac; celeriac; celeriac; celeren; parsley, turch; skirret; sweet per 60 / 6.0 ES, specifically: 60 / 6.0 80/8 80 / 8.0 GUTIONAL SODF reling ground beed cill, follow specifice granules and in second the second celeral is seven daterval is seven daterval.	3 Group 1 (except, Jerusalem; beet hayote (root); che nip-rooted; parsni octato; tanier; turn 7 Beet, garden (tog 14 7 2 (ears) 14 (forage) 48 (fodder) 7 ARMS tle, grasshoppers directions for proprove contact wit vesting is 24 hourays.	garden; beet, sugar; burdock, edrvil, turnip-rooted; chicory; chufa; p; potato; radish; radish, oriental; neric; turnip; yam bean; yam, true. ps); Turnip (tops). Hand harvesting prohibited. REI is 21 days for workers detasselling corn. mole crickets and sow bugs. Apper watering or irrigation after apper watering or irrigation after apper some per some per watering or irrigation after apper some per watering or irrigation. For some per some per some per watering application. For some farms, the REI for harvesting is a hours. Repeat applications up to a total control of the per some per som
omatillo; toma 20 / 2.0 LL MEMBEI 1 cluding: Arriver asheen (taroutabaga; sals 20 / 2.0 EAVES OF 1 20 / 2.0 TRAWBERF 20 / 2.0 WEET POTA 20 / 2.0 URFGRASS or kill of arm ranules unifor attended area of four per year	7 R OF ROOT AN racacha; arrowro lible; carrot; cass); ginger; ginsen ify; salsify, black 7 ROOT AND TUE 7 RIES 7 N 7 COMMERCIA yworms, crickets ormly to the turf gove the active including application	oot; artichoke, C sava, bitter and s g; horseradish; g; salsify, Spanis 3 BER VEGETABL 3 4 4 4 4 grass. For best k gredient from the	hinese; artichoke sweet; celeriac; celeriac; celeriac; celeriac; celeriac; celeren; parsley, turch; skirret; sweet per 60 / 6.0 ES, specifically: 60 / 6.0 80/8 80 / 8.0 GUTIONAL SODF reling ground beed cill, follow specifice granules and in second the second celeral is seven daterval is seven daterval.	3 Group 1 (except, Jerusalem; beet hayote (root); che nip-rooted; parsni octato; tanier; turn 7 Beet, garden (tog 14 7 2 (ears) 14 (forage) 48 (fodder) 7 ARMS tle, grasshoppers directions for proprove contact wit vesting is 24 hourays.	garden; beet, sugar; burdock, ecrvil, turnip-rooted; chicory; chufa; p; potato; radish; radish, oriental; neric; turnip; yam bean; yam, true. ps); Turnip (tops). Hand harvesting prohibited. REI is 21 days for workers detasselling corn. mole crickets and sow bugs. Apper watering or irrigation after apper watering or irrigation after apper some personal points. Beginning application. For social points, the REI for harvesting is

App Rate Lbs	Minimum Retreatment	Max # of Applications	Maximum Annual App	Pre-Harvest or Pre-Grazing	Use Directions & Restrictions
product/A,	Interval,	per year	Ib Product/	Interval	
lb ai/A	Days		lb ai/A	(Days)	
	· _		d above under "		Imigate often application Depost
90 / 9.0	7	4	360 / 36.0	N/A	Irrigate after application. Repeat applications up to a total of four per year. The minimum retreatment interval is seven days.
			mmercial Lawns	s, Cemeteries, Ca	mp Sites, etc. (for kill of the pests
	under "Turfgras		200 / 200	N//A	
90 / 9.0	/	4	360 / 36.0	N/A	Irrigate after application. Repeat applications up to a total of four per year. The minimum retreatment interval is seven days.
NUISANCE P	ESTS - PERIME	TER TREATME	ENTS AROUND	THE OUTSIDE OF	
				s), armyworms, cut corpions and spide	tworms, centipedes, crickets,
0.2 lb product	ats and silverns	Not Specified	165, 50Wbugs, 50		Apply granules in a 6 ft wide band
per 1000 sq. ft.		rior opcomed			around outer perimeter of buildings (can include flower beds and ornamental plantings). Irrigate after application. Repeat as needed up to 4 times per year but do not
					apply more than once every seven days. Will only kill pests present at the time of application. Pest must be directly contacted by granule to be effective.
					beds, ornamental plantings, and
	s) to kill pests list	ted in " NUISAN	ICE PESTS" abo	ove.	Living of the Property of the Park
0.2 lb product per 1000 sq. ft. (0.02 lb ai/1000 sq. ft.)					Irrigate after application. For the kill of juvenile and adult Ixodes spp. ticks (Deer tick, Bear tick, and Black legged tick) and Amblyomma spp. ticks (Lone star tick). Begin applications in late spring or early summer (May/June). Uniformly apply granules to entire lawn, perimeter wooded areas, and property boundaries including shrub beds, ornamental plantings, and wooded areas where exposure to ticks may occur. Will only kill ticks present at the time of application and directly contacted. Tick must be directly contacted by granule to be effective. Repeat applications up to a total of four times per year, but not more often than every seven days. Product must be watered in immediately after application to lawns.
					of armyworms, crickets, cutworms,
darkling groun			rickets and sow I	bugs.	
2 lbs of product (0.2 lb ai/1000 sq. ft.)	7	4	320 / 32.0	N/A	Product must be watered in immediately after application to residential lawns. Repeat applications up to a total of 4 times per year, with minimum 7 day retreatment interval.
		<u> </u>	ļ.	1	i ronounnom mitorvan.

App Rate Lbs product/A, lb ai/A	Minimum Retreatment Interval, Days	Max # of Applications per year	Maximum Annual App Ib Product/ Ib ai/A	Pre-Harvest or Pre-Grazing Interval (Days)	Use Directions & Restrictions
ORNAMENTA	ORNAMENTAL FLOWERS AND SHRUBS – (Landscape and Foundation Plantings) to kill pests listed in "NUISANCE PESTS" above.				
1 lb. product (0.1 lb ai/1000 sq.ft.)	7	3	130 / 13.0 or 0.3 lb ai/1000 ft ²	N/A	Irrigate after application. Repeat applications up to a total of 3 times per year, with minimum 7 day retreatment interval.
Home Vegetable Gardens - Commercial Application Only: (for crops and pests listed on this label).					
.5 lb / 0.05 lb ai/1000 ft ²	7	4	(see particular crop above)		(see particular crop above)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in cool, dry place in original container. Protect from excessive heat. Once opened, do not store bag for prolonged period. In case of puncture, use overslip bag and securely close. Do not reuse container

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration. Do not burn, unless allowed by state and local ordinances. For help with any spill, leak, fire or exposure involving this material, call day or night CHEMTREC – 800-424-9300.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

BEFORE BUYING OR USING THIS PRODUCT, read the entire Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVELAND PRODUCTS, INC. or the seller is authorized to vary in any way.

Follow the Directions for Use of this product carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop or other plant injury, ineffectiveness, or other unintended consequences may result from such risks as weather or crop conditions, mixture with other chemicals not specifically identified in this product's label, or use of this product contrary to the label instructions, all of which are beyond the control of LOVELAND PRODUCTS, INC. and the seller. The buyer or user of this product assumes all such inherent risks.

Subject to the foregoing inherent risks, LOVELAND PRODUCTS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use when the product is used in strict accordance with such Directions for Use under normal conditions of use. EXCEPT AS WARRANTED IN THIS LABEL, THIS PRODUCT IS SOLD AS IS TO THE EXTENT ALLOWED BY APPLICABLE LAW. LOVELAND PRODUCTS, INC. MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ELIGIBILITY OF THIS PRODUCT FOR ANY PARTICULAR TRADE USAGE.

IN THE UNLIKELY EVENT THAT BUYER OR USER BELIEVES THAT LOVELAND PRODUCTS, INC. HAS BREACHED A WARRANTY CONTAINED IN THIS LABEL, BUYER OR USER MUST SEND, TO THE EXTENT REQUIRED BY APPLICABLE LAW, WRITTEN NOTICE OF SUCH

CLAIM TO THE FOLLOWING ADDRESS: LOVELAND PRODUCTS, INC., ATTENTION: LAW DEPARTMENT, P. O. BOX 1286, GREELEY, CO 80634.

TO THE EXTENT ALLOWED BY APPLICABLE LAW, THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY, LOSS, OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT, INCLUDING BUT NOT LIMITED TO CLAIMS OF BREACH OF WARRANTY OR CONTRACT, NEGLIGENCE, STRICT LIABILITY, OR OTHER TORTS, SHALL BE LIMITED TO ONE OF THE FOLLOWING, AT THE ELECTION OF LOVELAND PRODUCTS, INC. OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT. TO THE EXTENT ALLOWED BY APPLICABLE LAW, LOVELAND PRODUCTS, INC. AND THE SELLER SHALL NOT BE LIABLE TO THE BUYER OR USER OF THIS PRODUCT FOR ANY CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES, OR DAMAGES IN THE NATURE OF A PENALTY.

SEVIN® is the registered trademark of Bayer Corp.

FORMULATED FOR



P.O. BOX 1286, GREELEY, COLORADO 80632-1286