

(REV 2/21/08) 2

Product #Z-71

ZOONOCIDE®

Coating Systems Laboratories, Inc.
211 E. Chilton Dr.
Chandler, AZ 85225

EPA REG. NO. 70087-1

EPA EST. #070087-AZ-001

ACTIVE INGREDIENT:

Octadecylaminodimethyltriethoxysilyl propyl ammonium chloride: 0.71%

INERT INGREDIENTS: 99.29%

TOTAL: 100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Causes moderate eye irritation. Avoid contact with eyes and skin. Harmful if inhaled or absorbed through the skin. Avoid breathing vapors of spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID

IF ON SKIN:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advise.

IF INHALED:

Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF IN EYES:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call poison control center or doctor for treatment advice.

IF SWALLOWED:

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person. Do not induce vomiting unless told to do so by a poison control center or doctor.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Net Contents: 55 Gallons

Lot #

Expiration Date: _____

51280

70087-1

JUN 09 2008

ENVIRONMENTAL HAZARDS

(Commercial Use:) This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA. (Residential Use:) This pesticide is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of pesticide. Do not apply directly to water.

SPILL INFORMATION

Appropriate measures should be taken to avoid spills. Dike any spills to prevent entry into waterways or soil. Use absorbent material to clean up spill and dispose of in an appropriate landfill. De-activation may be required during clean up if a spill occurs. De-activation of Zoonocide can be achieved by the addition of anionic surfactant (such as soap, sulfonates, sulfates) in quantity equivalent to that of the Zoonocide.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original, tightly closed containers below 30°C (86°F) and above 0°C (32°F) in a secure area inaccessible to children and away from food or feed. Zoonocide® has a shelf life of 1 year.

Pesticide Disposal: (Commercial Use:) Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. (Residential Use:) Wastes resulting from the use of this product may be disposed of on site.

Container Disposal: (Commercial Use:) Do not reuse empty container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. (Residential Use:) Securely wrap in original container in several layers of newspaper and discard in trash.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label.

Wear eye protection such as goggles and gloves when applying. Dry treated areas and articles before reentry or reuse. Remove children and pets from treated area until completely dry. A fan may be used to assist in drying carpeting.

For use by Commercial Applicators and Homeowners in Residential Settings. **ZOONOCIDE®** is a durable coating that inhibits the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae on a variety of surfaces, including air filters and air filter materials for furnaces, air-conditioners, air purification devices, automobiles, and recirculating air handling systems; aquarium filters and filter materials, composed of sand and zeolite; sheets, blankets and bedspreads; polyurethane foam for household, industrial, and institutional sponges and mops; shoe insoles, athletic and casual shoes; carpets and draperies; *vinyl* wallpaper for nonfood contact; washable walls; roofing materials-defined as shingles, roofing granules, wood shakes, felt, stone and synthetic overcoats; commercial and residential interior wood framing and interior new construction materials composed of wood, wood products and wood composites, including flakeboard (OSB), plywood, wallboard, particle board and cardboard. Test staining and color-fastness of fabrics by treating and drying a small concealed area prior to application.

Do not apply to food contact surfaces.

APPLICATION

Zoonocide® has already been premixed. Clean surface prior to application. When treating filters remove filter from the unit. Using trigger pump sprayer or pressure sprayer, spray the entire area 4"-10" from the surface making sure the surface is completely covered. Let stand until dry. One gallon of Zoonocide treats approximately 200 square feet (coarser substrates may require more Zoonocide due to absorption). If necessary, reapply Zoonocide every three months or when odor, staining and discoloration due to bacteria, mold, mildew or algae return. Roofing and interior new construction wood surfaces directions: Make sure roof or wood surface is clean prior to application. Using a pressure sprayer, spray entire surface area 6-12" from surface making sure the surface is completely covered. Let stand until dry.