

# Monterey Remuda<sup>®</sup> Extended Control RTU

· Kills and Prevents Listed Weeds and **Grasses For Up To 3 Months** 

# **KEEP OUT OF REACH OF CHILDREN**

CAUTION / PRECAUCIÓN
Si usted no entiende la etiqueta, busque a alguien para que se la
explique a usted en detalle. (If you do not understand the label, find

someone to explain it to you in detail.)

SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL

PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies only, Call (877) 325-1840

Distributed by:

LAWN AND GARDEN PRODUCTS, INC.
P. O. Box 35000 • Fresno, CA 93745 • (559) 499-2100 info@montereylawngarden.com

REMUDA® is a registered trademark of Lawn and Garden Products, Inc.

(RV110414N) 0417(01)

# **KEEP OUT OF REACH OF CHILDREN**

## **CAUTION / PRECAUCIÓN**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL

PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies only, Call (877) 325-1840

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION - PRECAUCIÓN: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

#### FIRST AID

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
   Remove contact lenses, if present, after the first
- 5 minutes, then continue rinsing eye.Call a poison control center or doctor for
- treatment advice.

15

#### HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information

#### **ENVIRONMENTAL HAZARDS**

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area. Drift and runoff from treated areas may be hazardous to aquatic organisms in adiacent sites.

#### PHYSICAL OR CHEMICAL HAZARDS

Spray solutions of this product should be mixed, stored and applied using only stainless steel, aluminum, fiberglass, plastic or plastic-lined steel containers.

DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR

DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL ON UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This

gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Stay off treated areas until sprays have dried. Precautions should be taken to prevent tracking product after application on to desirable grasses.

to desirable grasses.

SHAKE WELL BEFORE USING.

### PRODUCT INFORMATION

THOUSE IN STREET	
PRODUCT FACTS – 32 Fl. Oz. Treats Up To 600 Sq. Ft.	
KILLS	Listed weeds & grasses
PREVENTS WEEDS	For up to 3 months
WHERE TO USE	Driveways, sidewalks, patios, curbs
	and gutters
	Along fences
	In landscaped areas (except
	vegetable gardens)
	For outdoor use only
4	

BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of the directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

POSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOIT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY THE BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

#### LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER

#### WHERE TO USE

FOR OUTDOOR USE ONLY. Apply only where no vegetation is desired, such as driveways, landscaped areas, around well-established (at least 6 months old) plants, trees and shrubs, along fences, sidewalks, walkways, patios, curbs, gutters and cracks in sidewalks. DO NOT USE IN VEGETABLE GARDENS. DO NOT APPLY THROUGH ANY TYPE OF IRRIGATION SYSTEM. AERIAL APPLICATION IS PROHIBITED.

#### WHEN TO APPLY

Apply to actively growing weeds and grasses. Visible effects will occur within 3 to 5 days with complete kill in 2 to 4 weeks. If rainfall occurs within 6 hours, repeat treatment may be required. To avoid drift to desirable plants, apply only when air is calm. If leaves of desirable plants are accidentally sprayed, immediately wash off plants with water. Spray when air is calm to prevent drift to desirable plants. For best results, apply during warm, sunny weather (above 60° F).

#### USE RESTRICTIONS

- DO NOT spray desirable plants.
- DO NOT use in lawns or for lawn renovations as this product prevents desirable grass establishment.
- DO NOT use for vegetable garden preparations or in and around fruits and vegetables.
- DO NOT spray around ornamental plants or in an area that will be planted or seeded 12 months after application if applied

at the rate of 1 quart per 305 sq. ft. use rate.

 $\bullet$  DO NOT spray around ornamental plants or in an area that will be planted or seeded 6 months when applying at the 1 quart per 600 sq. ft. use rate.

#### WEEDS CONTROLLED

#### Pre-Emergent:

When used as directed, this product will prevent the following

weeds from emerging:

Barnyardgrass Kochia

Bluegrass, annual (Poa annual)1 Lambsquarters,common

Carpetweed Lovegrass Chickweed, common<sup>2</sup> Panicum,

Chickweed, mouse-ear (from seed) (Texas, fall, browntop)

Crabgrass (large, smooth) Pigweed

Crowfootgrass

Purslane, common Pusley, Florida Cupgrass, woolly Foxtails, annual Rescuegrass<sup>2</sup> Goosegrass Shepherdspurse<sup>1</sup> Henbit1 Signalgrass, broadleaf Itcharass Speedwell, Persian

Johnsongrass (from seed) Sprangletop Junglerice Spurge, prostrate 6

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.PESTICIDE STORAGE: Keep from freezing. Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked stor-

age area.
PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFAC-TURER AND SELLER MAKE NO WARRANTIES, GUARAN-TEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PUR-11

(Continued)

#### HOW TO APPLY / USE

- 1. Turn sprayer nozzle to open. Adjust sprayer nozzle as desired.
- 2. Spray to thoroughly cover unwanted weeds and grasses or spray to thoroughly cover areas where you want to prevent weed and grass growth.
- 3. Do not spray ornamental plants or grasses, as damage will occur.
- 4. When treating around desirable plants, shield plants from drift with a sheet of cardboard or plastic. If desirable plants are accidentally sprayed, rinse off immediately with water.

The preemergent herbicide prodiamine in this product is yellow in color, which allows the user to see the area that has been sprayed. If sprayed on cement curbs, sidewalks, and driveways it may temporarily stain if not washed off immediately after applica-tion. Caution should be used not to wash the product off target weeds or weed control may be adversely affected. Treated areas should be dry before entering to avoid staining onto non-treated surfaces

#### WHEN TO REPLANT

All ornamental bedding plants, trees, shrubs, sod, and seed (flowers and grasses) may be planted 12 months after application when applied at the 1 quart per 305 sq. ft. use rate or 6 months when applied at the 1 quart per 600 sq. ft. use rate. For longer pre-emergent control and post-emergent control of larger weeds use the higher rate.

10

#### WEEDS CONTROLLED (Continued)

Pre-Emergent:

Knotweed1 Witchgrass

Woodsorrel, yellow (from seed) <sup>1</sup> To control this weed in non-turf areas, apply this product in late summer, fall, or winter before weeds germinate.

<sup>2</sup> Suppression only.

#### Post-Emergent Non-Selective:

#### ANNUAL WEEDS

Barley Mustard, tansy Barnyardgrass Mustard, tumble Bluegrass, annual Mustard, wild Bluegrass, bulbous Oats, wild Panicum, fall Brome, downy Buttercup Panicum, Texas Pennycress, field Cheat Chickweed, common Pigweed, redroot Chickweed, mouse-ear (from seed) Pigweed, smooth Cocklebur Primrose, cutleaf evening

Corn Pusley, Florida Crabgrass Rice, red Dwarf dandelion Rocket, London Rye

False flax, smallseed

(Continued) 7

ANNUAL WEEDS (Continued)

Filaree Shattercane Foxtail Shepherdspurse Foxtail, Carolina Sicklepod

Signalgrass, broadleaf Geranium, Carolina Spanishneedles Goatgrass, jointed Sprangletop Goosegrass Spurge, annual Spurry, umbrella Groundsel, common Henbit Horseweed/Marestail Stinkgrass

Lambsquarters, common Teaweed Wheat Mustard, blue Ryegrass, Italian Witchgrass

PERENNIAL WEEDS Alfalfa Knapweed

Alligatorweed\* Lantana Anise (fennel) Lespedeza Artichoke, Jerusalem Milkweed Bahiagrass Morningglory Muhly, wirestem Bentgrass Bermudagrass Mullein, common \*Partial Control Napiergrass

(Continued)

PERENNIAL WEEDS (Continued)

Bermudagrass, water (knotgrass) Kikuyugrass Nightshade, silverleaf Nutsedge; purple, yellow Orchardgrass Bindweed, field Bluegrass, Kentucky Bluegrass, Texas

Brackenfern Pampasgrass\* Bromegrass, smooth Bursage, woollyleaf Paragrass Phragmites\* Canarygrass, reed Poison hemlock Cattail Quackgrass Clover, red Clover, white Redvine\*

Reed, giant Cogongrass Ryegrass, perennial Dallisgrass Smartweed, swamp Dandelion Dock, curly Spurge, leafy\* Starthistle, yellow Dogbane, hemp Sweet potato, wild\* Thistle, artichoke Thistle, Canada Fescue, tall Fescues Guinea grass Timothy

Horsenettle Torpedograss\* Horseradish Trumpetcreeper\* Vaseygrass Velvetgrass Ice plant Johnsongrass

Johnsongrass, seedling Wheatgrass, Western

\*Partial Control

8

NET CONTENTS: 1 QT / 32 FL OZ / 946 mL



## Monterey Remuda® **Extended Control RTU**

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION – PRECAUCIÓN:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

#### If In Eyes

- FIRST AID

  Hold eye open and rinse slowly and gently with water for 15-20 minutes.
  Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
  Call a poison control center or doctor for
- treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment

# SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS EPA Reg. No. 228-514-54705 EPA Est. No. 48498-CA-1 Distributed by: LAWN AND GARDEN PRODUCTS, INC.

P. O. Box 35000 • Fresno, CA 93745 • (559) 499-2100 info@montereylawngarden.com